

QUON KEY FEATURES

Quon

(ID)

SPECIFICATIONS

Power:	GH11TC - 294 kW (400 PS) @ 1600 rpm GH11TD - 338 kW (460 PS) @ 1700 rpm*
Torque:	GH11TC - 2000 Nm (1475 lb.ft) @ 950 rpm GH11TD - 2250 Nm (1659 lb.ft) @ 1000 rpm*
Transmission:	ESCOT-VI automated manual transmission (AMT)
Suspension:	Electronically controlled air suspension
Wheelbase:	3,850 mm
GVM:	16,500 kg
GCM:	45,000 kg * 460hp option, customer adaption special order.

UD TRUCKS EXTRA MILE SOLUTIONS



UD TRUCKS FINANCIAL SERVICES Delivering flexible finance solutions that are tailored to your business. Helping to get your UD Quon on the road, as soon as possible.*



UD TRUCKS SERVICE AGREEMENTS Peace of mind through tailored service plans, with fixed monthly costs and preventative maintenance options. Maximising fleet uptime and your bottom line.**

UD CONNECT Keep track of your fleet, improve driver performance, save fuel and reduce maintenance costs, through our integrated telematics system with fully customisable reports.**

Ä

s d

أالر

with superior reliability and increased maintenance intervals.

SMART UPTIME



Active safety with mechanical and electronic features throughout, including safety for vulnerable road users.

Ouon has been designed to further optimise uptime.

NEW SMART FUEL EFFICIENT ENGINES WITH

RESPECT FOR THE ENVIRONMENT GH11 engine: fuel efficient, powerful and clean

SMART PRODUCTIVITY

Light weight chassis helping to maximise payload. New engines with improved horsepower and torque to increase productivity.

Cha MONTH

SMART DRIVABILITY

The cabin has been designed with the user's comfort in mind, with outstanding ergonomics and visibility allowing the driver to concentrate on driving.



Going the Extra Mile. *Finance offered by Volvo Financial Services Pty Ltd. **Terms and conditions apply.

GENERAL SPECIFICATIONS

SAFETY	
Passive Safety:	 Highly rigid cabin with ECE R29 rating Side door beams Front underrun protection system (FUPS) SRS driver steering wheel airbag Driver side seat belt with pre-tensioner Steering wheel & column with impact absorption function
Active Safety:	 Traffic Eye Brake System (AEB) Traffic Eye Cruise Control with auto stop & go Traffic sign recognition Lane departure warning system Electronic stability control Automatic hill start assist (ESCOT VI) Lane change support LHS & RHS Blind spot information system LHS & RHS Vulnerable road user detection LHS, RHS & front.
Basic Safety:	 LED Headlamps (low beam only) Disc brakes Anti Locking Brake System Emergency Braking System UD Extra Engine Braking (UD EEB) Safe Brake Blending Immobiliser Two-step entry and exit

ENGINE	
Model:	GH11TC GH11TD
Description:	6 cylinder, 4 stroke diesel engine
Displacement:	10,837 сс
Bore x stroke:	123 mm x 152 mm
Compression ratio:	17.5:1
Max. governed engine speed:	2,100 rpm
GH11TC430PS 316kW(430PS) @ 1,600rpm 2,000Nm (1475 lb-ft) @ 950 -1,450rpm	111 430PS 400 500 500 500 500 500 500 500
GH11TD460PS 338KW(460PS) @ 1,700rpm 2,250Nm (1659 lb-ft) @ 1,000 - 1,200rpm	111 460PS 400 2500 400 2000 550 1000 250 2000 250 2000 250 2000 250 2000 250 2000 350 500 100 500 500 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

-TORQUE Nm -POWER kW

FUEL AND INTAKE	SYSTEM			
Fuel capacity:	400 litres			
Injection type:	High press injection s		on rail direct	t fuel
Filtration:	Chassis m mounted	ounted prir secondary f	nary filter ar ilter	nd engine
EMISSION CONTRO	L			
Emission standard:	pPNLT (eq requireme		uro 6 emissio	วท
Adblue capacity:	50 litres			
Exhaust system:	RHS chass	is mounted	box muffle	r
ELECTRICAL				
Power:	24 volt, ne	egative grou	und system	
Battery capacity:	2 x 12 vol	t 165 Ah ba	atteries	
Alternator:	150 amp			
TRANSMISSION				
Make:	UD Trucks	5		
Model:	ESCOT-VI - (AT261) - (AT026	2- 430hp) 12- 460hp)		
Description:	Automated manual transmission (AMT) 12 forward & 2 reverse gears			
Shift type:	Electronic shifter with fully automatic or manual control			
Gear ratios	1 st	14.94	7 TH	3.44
	2 ND	11.73	8 TH	2.70
	3 RD	9.04	9 TH	2.08
	4 TH	7.09	10 TH	1.63
	5 TH	5.54	11 TH	1.27
	6 ^{тн}	4.35	12 TH	1.00
	Rev 1	17.48	Rev 2	13.73
ATO2612 Gear Ratio:	1st - 11.7	3. 12th - 0.	78, Rev 1- 1	3.73
PTO capacity:	500 Nm @	0 103% or	81% (PTR-F	H6)
FRONT AXLE AND S		ON SYST	EM	
Ground capacity:	8,200 kg			
Axle type:		liot I-Beam		
Suspension:			vith shock a	bsorbers
Construction of the second structure of	90mm x 1460mm			
Spring dimensions: Spring constant:	347.7 N/n			

REAR AXLE AND SUSPENSION SYSTEM		
Ground capacity:	13,000kg	
Axle type / model:	Single reduction, hypoid gear, with cross locks	
Final reduction ratio:	430hp version - 3.08 or 3.36 to 1 460hp version - 4.11 to 1	
Shock absorbers:	2 x telescopic double acting	
Control system:	Electronic Controlled Air Suspension with remote control mounted in cab (ECAS4)	
BRAKES		

BRAKES	
Туре:	Electronic braking system (EBS) with disc brakes on all axles
Front/Rear:	430 mm rotors / 430 mm rotors
Park brakes:	Hand-operated pneumatic spring park brake on drive axle
Auxiliary brake:	Exhaust plus engine compression type (EEB)
Trailer connections:	Air and electrical connections to rear of cab

UD Trucks Australia

udtrucks.com/australia

DISCLAIMER: Imported and distributed by Volvo Group Australia Pty Ltd (ABN: 27 000 761 259). Photos for illustration purposes. Volvo Group Australia Pty Ltd reserves the right to modify design and change equipment without previous notification. Please consult with your UD Trucks Dealer for the latest information about vehicle specifications. Last published: October 2024

STEERING	
Туре:	Recirculating ball and screw with hydraulic assist
Steering gear ratio:	24.1 - 26.8 : 1
Column:	Adjustable, tilt and telescopic control
Steering wheel:	460 mm diameter with ignition key steering lock

WHEELS & TYRES

Wheels:	8.25in x 22.5in rim with 165mm offset and ISO 10 stud pattern (335mm PCD)
Front tyres:	295/80 R22.5 Bridgestone R150Z
Rear tyres:	11R 22.5 Bridgestone M711AZ
Spare tyre	295/80 R22.5 Bridgestone R150Z
FRAME	

Width:	850 mm
Side rail dimensions:	266 mm x 90 mm x 7 mm
Material:	Rolled high tensile carbon steel
Tensile strength:	600MPa / 600N/mm ²

DRIVER INFORMATION & CUSTOMISABLE COLOUR DISPLAY SCREEN

In Dash Warning Systems:	Visual warning lamps with audible warning tones, plus written warnings displayed in full colour on the information screen
In Dash Driver Information:	Customisable live information includes: On board fuel coaching with economy tips, fuel & AdBlue usage, instant fuel consumption, digital speedo, trip computer including: time, distance & distance to empty. Hour meter, coolant temp, engine oil temp, transmission oil temp, UDPC level and volt meter.

INTERNAL CABIN

Lighting:	Dual ON/OFF/DOOR interior lights Interior neon cabin lamp
Seating capacity:	Two (three seats optional)
Driver's seat:	ISRI 6860/875 air suspended seat with integrated seat belt & adjustable arm rest. Adjustable height control & rebound damper. With split seat back adjustments for recline & head rest position. Seat base tilt, seat cushion slide, seat air dump switch. Adjustable air bladders (4) for side bolsters, upper & lower lumbar.
Passenger seat/s:	Assistant seat with adjustable back & head rest
Sleeping capability:	ADR 42/04 compliant sleeper bunk with mattress and full curtains
Side windows:	Power operated door glass
Security:	Remote central locking with immobiliser
Air conditioning:	Fully automatic climate controlled air conditioning with recirculation filter
Multimedia unit:	 8-inch touch screen Hands-free Bluetooth operation. FM1, FM2, FM3, AM, DAB+ tuner USB input Up to 5 cameras input Wi -Fi Module Phone tethering Cordless Apple Car Play & Android Auto Truck specific satellite navigation OTA (over the air updates)

Storage:	Multiple in-cab compartments
Power Outlet:	24 volt 240W & 12 volt 120W in dash
DIN accessory fitment:	Two DIN sized compartments
Floor covering	Vinyl
EXTERNAL CABIN	
Cab Description:	Forward control, pressed steel construction
Mounting type:	Full floating, 4 bag air suspended cab with 4 dual acting shock absorbers and dual automatic height control valves.
Cab paint:	Standard – Polar White. Paint code W33
Inspection points:	Back of the cab and front panel
Bumper type:	3 piece with steel corner panels
Mirrors:	Heated and electrically operated main mirrors with flat glass, wide vision and passenger-side downward facing spot mirrors
Lamps:	 LED head lamps (low beam) Bumper mounted fog lamps Roof mounted clearance lights
Wipers:	Triple arm, 2 speed wipers with variable intermittent operation and integrated washers
Reversing system:	Reverse beeper and digital infrared camera with microphone

FACTORY OPTIONAL	L EQUIPMENT
Tyres:	275 /70 R22.5
Wheels:	Alcoa aluminium wheels
Rear engine PTO:	D I N 5462 or Flange SAE1410; 650 Nm capacity
Safety:	Driver Alert SystemDriver Monitoring System
Cab Interior:	Leather steering wheel, woodgrain dash, centre console or 2nd passenger seat
Cab Exterior:	Roof scoop, chrome grille, roof beacon prep kit, bumper spoiler, passenger door peep window, cab auxilliary side windows
Chassis:	3500mm wheelbase available via CA. Front stabiliser bar.
Cab Paint:	Custom paint colours.
UD CONNECT (FLEET MANAGEMENT)	
Telematics hardware:	In-cab GSM and GPS unit with SIMcard

	connected to root antenna
Subscription:	First 12 months are complimentary with the purchase of a new UD Quon*
Key Reports:	 Total operational time and distance Average speed and fuel consumption Total CO2 emission Vehicle utilisation Anticipating & braking Engine & gear utilisation Speed adaptation Time idling (standstill)

UD Trucks Australia

udtrucks.com/australia

DISCLAIMER: Imported and distributed by Volvo Group Australia Pty Ltd (ABN: 27 000 761 259). Photos for illustration purposes. Volvo Group Australia Pty Ltd reserves the right to modify design and change equipment without previous notification. Please consult with your UD Trucks Dealer for the latest information about vehicle specifications. Last published: October 2024

MAJOR DIMENSIONS











*Rated GVM and axle capacities are subject to Federal, State and Territory legal requirements. Mass is an estimation based only on standard model, includes fluids (no diesel fuel or Adblue®). Excludes spare wheel. Excludes driver and tools. Subject to ± 3% tolerance. Ground clearance is based on vehicle with standard wheels and tyres For alloy rims deduct 28kg from Front tare and deduct 56kg from each rear axle in rear tare For alloy rims add 18mm to both FT and RT measurements

WARRANTY

Standard warranty⁺ Cab corrosion warranty* 36 months/500,000 kms

36 months/unlimited kms

For details refer to your UD Trucks New Vehicle Warranty brochure + Purchased by the owner and covers selected factory items only. ++For details refer to your UD Trucks New Vehicle Warranty brochure

TAKE YOUR BUSINESS FURTHER WITH UD TRUCKS EXTRA MILE SOLUTIONS



UD TRUCKS FINANCIAL SERVICES Fast, competitive, customisable and fuss-free

UD Trucks Financial Services deliver professional and customisable solutions directly through your UD Trucks dealer network. You'll get a comprehensive and flexible finance solution that's tailored to your needs. We will help to get your UD Truck on the road, as soon as possible.*

Fast and easy to work with

We are easy to do business with, and you can depend on us to secure a competitive and fast finance package.

Tailored Solutions

 \square

 $|\vee|$

 $| \vee |$

We take the time to get to know you and your business so that we can offer you the best tailored solution. One that meets your needs and is flexible enough to carry you confidently into the future

A second financing source





UD TRUCKS SERVICE AGREEMENTS Complete peace of mind

Managing a fleet is no easy task, but with UD Trucks Service Agreements, we can make that much simpler while maximising uptime and providing full peace of mind.

Not only will your fleet enjoy professional service and highquality, assured parts from UD Trucks, you can also have improved cost control with our simple, fixed monthly invoicing and help from our service advisers every step of the way.**

UD TRUST ULTIMATE



The UD Trust Ultimate plan is the most comprehensive of all the UD Trucks Service Agreements. with the added confidence of repairs to the electrical, engine, driveline, braking and

UD TRUST EXTRA

steering systems.

The UD Trust Extra plan covers all that is included in the Standard Program as well as repairs to the driveline components, brakes and clutch components.

UD TRUST STANDARD





UD CONNECT Keeping your fleet in check

UD Connect uses advanced telematics technology to capture data on operational and truck performance. Providing easy-to-read reports to inform you and then take steps to improve driver performance, save fuel and reduce maintenance costs. Monitoring driver and truck performance, with real-time analysis and top-line reporting

Fach UD Truck in Australia that's fitted with UD Connect and that has been signed up to our agreement, will give you instant feedback on driver behaviour while they're out on the road, allowing you to identify areas of improvement.***

Keeping track of your fleet



 $| \vee |$

 $[\checkmark]$

Provides important information about your UD fleet so that you know where your trucks are at all times and can track the status of your deliveries

Helping to reduce fuel consumption

Easy to read reports on fuel usage and driver behaviour, so that you can optimise your fuel consumption and improve your bottom line.

Maximising fleet uptime

Comprehensive and proactive support to assist fleet uptime and productivity.

DISCLAIMER: Imported and distributed by Volvo Group Australia Pty Ltd (ABN: 27 000 761 259). Photos for illustration purposes Volvo Group Australia Pty Ltd reserves the right to modify design and change equipment without previous notification. consult with your UD Trucks Dealer for the latest information about vehicle specifications. Last published: October 2024 *Finance offered by Volvo Financial Services Pty Ltd trading as UD Trucks Financial Services. Subject to credit checks and terms and conditions ** Terms and conditions apply. Contact us for a copy of our UD Trucks Service Agreement terms. *** Terms and conditions apply. Contact us for a copy of our UD Connect agreement terms.

UD Trucks Australia

udtrucks.com/australia